



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/511,385

10/15/2004

Thomas D. Egan

EGAL-110 (66962-013)

2108

23630

7590

12/06/2006

MCDERMOTT WILL & EMERY LLP
ATTN: INTELLECTUAL PROPERTY DEPARTMENT
28 STATE STREET
BOSTON, MA 02109

EXAMINER

GHERBI, SUZETTE JAIME J

ART UNIT

PAPER NUMBER

3738

DATE MAILED: 12/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/511,385

Applicant(s)

EGAN, THOMAS D.

Examiner

Suzette J. Gherbi

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 October 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) 2,3,7-18,24,31,32,37,38,41,42 and 48-50 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,4-6,19-22,25-30,33-37,39,40 and 44-47 is/are rejected.
- 7) ☒ Claim(s) 23 and 43 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicants amendment dated 10/24/06 has been received in application serial number 10/511,385. All comments have been taken into consideration.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 4-6, 19-22, 25-30, 33-37, 39-40, and 44-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stack et al. 2004/0117031. Stack et al. discloses the invention as claimed comprising: A device for treatment of obesity with an annular element (12) having a relatively large outer boundary (18) and a relatively small inner boundary (24); an elongated flexible tube (sleeve 14) extending between a proximal end and a distal end wherein the tube defines a central lumen (28a) within the tub; wherein the proximal end of the tube is connected to the small inner boundary of the annular element and forms a continuous passageway through a region interior to the small inner boundary. See [0027 for "funnel-shaped" and other shapes of element

12; 0029-31 for flexible 14 materials of the tube/sleeve and the annular element 12; 0041 for clips, sutures and adhesives for attachment mechanisms.]

However, Stack does not use the term "fibrous". In column 5, lines 36-45 Stack does state, "*If the pouch is formed of silicon the proximal portion of the pouch in which the eyelets are located may be formed of a more durable material such as a woven material, Dacron polyester or ePTFE fabric*". It would have been obvious to one having ordinary skill in the art that "woven material" and "fabric" material are "fibrous" and that Stacks aims is to reinforce the upper outer boundary.

Allowable Subject Matter

4. Claims 23 and 43 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

5. Applicant's arguments filed 10/24/06 have been fully considered but they are not persuasive. Applicant contends that Stack does not suggest the reinforcement limitation, which would withstand radial stresses imparted by motion of intermediate portions of the stomach wall.

As noted above Stack does indeed suggest, "reinforcing" the pouch with known fibrous materials that are woven, Dacron or e PTFE fabric. Although Stack does not state the claimed intended use it is inherent that the stomach wall imparts motion due to digestion that it is obvious that the device of Stack is able to withstand the radial stress because it is made from the same materials as applicant's (i.e. silicone)

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


Art Unit: 3738

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suzette J-J Gherbi whose work schedule is Maxi-Flex off every other Friday and whose telephone number is 571-272-4751.

The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


SUZETTE GHERBI
PRIMARY EXAMINER
TECHNOLOGY CENTER 3700

28 November 2006